

---

---

---

---

---

报告

.....1

.....38

.....83

.....92

.....137

.....140

.....141

报告公示稿

报告公示稿

公示稿

报告

1

2

3

4

5

7

8

9

10

11

12

1

2

3

4

5

6

报告公示稿

报告公示稿

稿

	1000		27			
	2508-320582-89-01-995399					
				18752537533		
			2			
	120	34	5.86	31	58	49.51
	C2922			29	292	55
	C3029				302	
/			/	2025	2464	
	18000			900		
%	5%			12		
	<input checked="" type="checkbox"/>					
	<input type="checkbox"/>		m <sup>2</sup>			

2021-2035

	<b>1</b>	<b>2011-2030</b>	<b>2018</b>
	1		
		2020	215
		2030	265
		2020	
	281.00	2030	319.45
	2		
		2011-2030	2018
			4-1
			2
	<b>2</b>	<b>2016-2030</b>	
	1		
			2016-2030

40.48

1.2 m<sup>3</sup>/d

3 m<sup>3</sup>/d

2.4 m<sup>3</sup>/d

0.6 m<sup>3</sup>/d

3

35kV

4

“ ”

2 /

5

300t/h

3

2

2016-2030

4-1

c p8 uR œ


3

2022-2035

1

2022-2035







	<p data-bbox="443 210 512 246">CVC</p> <p data-bbox="692 210 715 246">/ C</p> <p data-bbox="842 210 895 246">440</p> <p data-bbox="1110 210 1163 246">/ 220</p> <p data-bbox="432 320 454 356">4</p> <p data-bbox="986 689 1082 712">“ ”</p> <p data-bbox="467 1487 489 1523">2</p> <p data-bbox="927 1541 949 1576">2</p> <p data-bbox="509 1644 561 1680">4-3</p> <p data-bbox="371 1859 394 1895">4</p> <p data-bbox="1134 1859 1278 1895">2022-2035</p> <p data-bbox="435 1964 504 2000">2023</p> <p data-bbox="550 1964 572 2000">4</p>
--	--

2023 10

7

2023 7

1-1

**1-1**

1

2020-2030

2020-2030

2021 36

« ã

2

œ

... .."S`™...À F 9u#€ œ

**n**

9

	4		
	5		VOCs
2022-2035	5	2021-2035	2021-2035
		4-2	
6		2021-2035	

				2021-2035
		2025	5	
1			2035	
	38.4289			34.7435
		0.2568		
	6.2145			2020
		1.2000		
2				
3				
4				
			2	
	2021-2035			
				5
			2021-2035	

<b>1</b>				
1				
2021-2035				
1.71km				
2020 1				
2021 102				
2022 145				
1.63km				
1-2 1-3				
<b>1-2</b>				
				<b>km</b>
		120°36 8.80 E 31°59 23.48 N		
		500 500		
		500		
		100	4.43	1.71
		3500 1500		
		100		
<b>1-3</b>				
				<b>km</b>
			12329.4462	1.63

		8		149.3206	2.87
		5.5	500	135.6696	5.52

2

1.71km

5.52km

1.63km


2.87km

2

2

2024

2024



180

86.1%


3.6%

4.10

1.9%

12.1%

C



\$ 2P+ a

4

2025

2022-

2035

1-4

1-4

1

15

oàr EV

			2	
			3	
			4	
			1	
			2	
			3	
			1	
			“ ”	
			2	
			3 “ ”	
			1	
			2	
			3	
			4	

	1	“ ”		
	2	34.5		
	3	38.06	1	4-
	4	34.77	2	
	5	“ ”	3	
	1		4	
	2		5	
	3			
		5.11.5-1		

1

2

“  
/”

2019 123

2019 123

3

2

2011-2030

2018

2016-2030

2024

2013

4

2023

2

2

1-5

1-5

1.

2.


3.

c

19

~~RO~~

d  
\$



4.

2015 2030  
2017 2035

5

5.

1.

1

2.

2

1.

1

2

2.

1	2		
	3		
1			
	2		

2023

5

2023

2023

477

-

0 7 C 1 A 1 ° •

ó?n\$



		2012	221		
	604			2021	9 29
				604	
				2021	9 29
	7			2022	
				2022	
		1-7			

		2022	
1	2035	2015 2030 2017	
2			
3			
4			
5			

6			
7	“ ”	332	
8			
9		2021	
		2025	
		2025 4	
10			
11			
12			
		<b>2022</b>	
1	2035	2015-2030 2017-	

	2			
	3			
	4			
	5			



16			
17			
18			
19			
20			
			2022
		2022	
<b>8</b>			
	<b>1-8</b>		
			900



**1-9**

VOCs


VOCs

0.3m/s

**3**

		0.5%		
		5		
		VOCs		
		VOCs		
			VOCs	
				800mg/g
		800mg/g		RTO
		BET	650mg/g	
			1100m 2/g	

	<p>40000h -1</p> <p>VOCs</p> <p>RTO</p> <p>760</p> <p>CO</p> <p>300</p> <p>VOCs</p> <p>û</p> <p>VOCs</p>	
--	--	--



HJ 1207-2021

3

HJ848-2017

2022

GB 33372-2020	
VOCs	

11 > 2021 2 GB33372-2020

1,2- 1,1,1- 1,1,2- GB30982  
GB19340

Y ‡



			2017	278
	2			
	2022	70		
	<b>1-13</b>		<b>2022</b>	<b>70</b>


2022 70

12

2025 28

2025 28

	C2922	C3029
		2023

2.1

9

2021 07

2021

2022 3 14

2022 82 0034

5400

50

2023 10 23

2023 12

67192.35

2025 9

5400

2000

5400

2000

1000

27

w

V

2.2

1000

27

2

18000

67192.35

173117.08

1000

27

2025 2464

2023 1054

\$ \$ € Ú p ! ~ c " A 4 a ? P 4 0 E E Å @ Q


300

3

8h

7200h

2.2.1



		540	540		
		0	0		
				0	
		/	/		
30kg/		200	200		
10m		0	0		
1m				0	7200
		/	/		
3mm/4m					
m					
		50	50		
20kg/25kg	JC/T984-	/	/	0	7200
	2011				
		1	:	100	
				0	+100
1.2mm/1.5	GB18173.1-	0		0	7200
mm	2012				
				/	/
	GB/T23457-				
	2017				

1/2



		1000	/
		27	/

--	--

--	--

--	--

报告公示稿

报告公示稿

报告公示稿

--	--

	<p data-bbox="363 1529 432 1559"><b>2.2.3</b></p>
--	---

--	--

--	--

--	--

--	--

--	--

2.2.4		2-5			
		2-5			
		11211.12m <sup>2</sup> , 27	27	11211.12m <sup>2</sup> 27	
		/	19038.25m <sup>2</sup> 1000	19038.25m <sup>2</sup> 1000	2023 1054
		7631.36m <sup>2</sup> 4	/	7631.36m <sup>2</sup> 4	
		17067.76m <sup>2</sup> 4	/	17067.76m <sup>2</sup> 4	
		1		1	

42,m m! A N m \$




			400m <sup>3</sup> /h		400m <sup>3</sup> /h	
					1	
					200m <sup>3</sup> /h	
		/	DA012 18m	DA012 18m		
		/	DA013 28.7m	DA013 28.7m		
		/	DA014 18m	DA014 18m		
		/	DA015 18m	DA015 18m		
		DA006 28.7m	/	DA006 28.7m		
		1 +2 +2	/	1 +2 +2		
		+2 RTO	/	RTO		


			DA001 30m DA002 30m		DA001 30m DA002 30m	
			DA008 28.7m	/	DA008 28.7m	
			2 + +RTO DA009 30m DA0010 30m	/	2 + +RTO DA009 30m DA0010 30m	
			DA003 27m		DA003 27m	
			DA004 30m	/	DA004 30m	
			DA005 30m		DA005 30m	

		DA007 DA011 18m	/	DA007 DA011 18m	
					/
		267m <sup>2</sup>		267m <sup>2</sup>	/
		599.76m <sup>2</sup>		599.76m <sup>2</sup>	/
		432m <sup>3</sup>		432m <sup>3</sup>	/
		425.2m <sup>3</sup>		425.2m <sup>3</sup>	/

### 2.2.5



2-1



	50000			270000
	30000			0.383
	50000			2.866
	60000			3.132
	5000			
VAE	15000			
	200			/
	59806.381			
	270006.381			270006.381

**2.2**

2.3

2.3.1



2-3

12

1

2

3

4

2.3.2

--	--

--	--

--	--

--	--

1

W2 O

W1

S8

2.3.3

2-8

2-8

G1-1

G1-2

G2

G3

G4

G5

G6

G7

G8

G9

W1

COD SS

W2

COD SS

S1

S2



S3

S4

S5

S6

S7



**2.4**  
**2.4.1**

2021 7

2

2021 9

2022 3 14  
2022 82 0034

2023 10 27

2023 12 67192.35

2025 9

5400

2000

2-9

**2-9**


	5400 50	2022 82 0034 2022.3.14		2023.10.27
5400	5400			
2000	2000			/

**2-10**

				<b>h</b>	
		5400 /	5400 /	7200	
		50 /	50 /	7200	


		5400 /	5400 /	7200	
		2000 /	2000 /	7200	

2-11



2-6

2



DA006				1	
DA003					
DA004 DA005				2	
DA007			SO <sub>2</sub>	/	DA007
			NO <sub>x</sub>		

2


/

2-8

生产废水、初期雨水



隔油、调节



**2-8**

3

4

2-13

**2-13**

/

1

3				HW08	900-249-08	0.3	
4				HW08	900-249-08	8.12	
5				HW08	900-210-08	1	
6				HW49	900-041-49	31.12	
7				HW08	900-249-08	9.62	
8				/	/		

267m<sup>2</sup>

GB18597-2023

599.76m<sup>2</sup>

**2.4.4**

2024

HY240311042-101    HY2403111042-2

4

			46 9	17	0.30			
		[a]	17 38 4	ND 2* 10 <sup>-5</sup>	3.5* 10 <sup>-7</sup>		0.0 00 3	0.00 000 9
			17 71 1	ND 3	0.05 3		20 0	/
				6.75	0.12		20 0	/
			20 17 0	1.3	0.02 5		20	1
			19 37 5	ND 17	0.33		20	0.11
2024 .03.2 3	DA 002	[a]	19 60 6	ND 2* 10 <sup>-5</sup>	3.9* 10 <sup>-7</sup>		0.0 00 3	0.00 000 9
			19 60 6	ND 3	0.05 9		20 0	/
			19 60 6	8	0.16		20 0	/
2024 .03.2 3	DA 004		80 68	1.2	9.8* 10 <sup>-3</sup>		10	/
2024 .03.2 3	DA 005		68 40	1.2	8.4* 10 <sup>-3</sup>	DB32/4149- 2021	10	/
2024 .03.2 3	DA 006		61 0	1.2	7.5× 10 <sup>-3</sup>	DB32/4041-2021	20	1
2024 .05.1 0	DA 007 *		72 93	ND 3	0.02 1	DB32/4385-2022	35	/

			49	0.28		50	/
			1.5	9.0* 10 <sup>-3</sup>		10	/
ND VOCs DA007 2-15 DA001 DA002							
			<b>mg/m<sub>3</sub></b>			<b>mg/m<sub>3</sub></b>	
			16		GB14554-93	20	
			ND 0.168			0.5	
			0.68			4	
2024. 03.23			ND 1.4*10 <sup>-7</sup>		DB32/4041-2021	0.00000 8	
		[a]	0.56			6	
ND DA001 DA002 DA006 DB32/4041-2021 DA003 DA004 DA005 DB32/4149-2021 DA007 DB32/4385-2022 [a] DB32/4041-2021 GB14554-93							

2						
2-16						
			dB		dB A	
			A			
	1				62	53
	1				61	52
2024.03.23	1	GB12348-2008	65	55	58	50
	1				56	48
GB12348-2008 3						
2.4.5						
89%~90%						
2-17						
2-17						
			t/a	t/a *		
			2.492	0.1231		
			0.964	0.9468		
			2.002	1.116		
	[a]		0.000002	/		
			0.904	/		
			2.292	0.1894		
			0.008	/		
			1.3			
	[a]		0.000001	/		
			0.476	/		
			1.207	/		
			8488	0		
	COD		3.379	0		

	SS	1.690	0
		0.296	0
		0.0338	0
		0.507	0
		0	0
		0	0
		0	0

= \* /

2.4.6

100

2.4.7

1

432m<sup>3</sup>

2

3

“ ”

1

2

3

2.4.8

2-18

2-18

		2022	82	0034
1	5400 50			5400 50
2	“ ”			
3				
4	( ) 30m	RTO	DA006	28.7m 1

	18m	+2	+2	+2	RTO	
					DA001	
	30m	30m	DA002		30m	
			DA003	27m		
					DA004	
			30m			
			DA005		30m	
					DA0011	18m
5		(GB12348-		GB12348-2008	3	
	2008)3					
		“	”			
				267m <sup>2</sup>		
6						
				599.76m <sup>2</sup>		
	GB18597-2001					
7		100m		100		
8						
9						



16		
17	5	2022 3 2022 4 5 2023 10 23

2.4.8

5400

2000

1



2024

DA003

2

£

£



3.1

3.1.1

1996 133

GB3095-2012

2024

2024

2024

135

180

86.1%

3.6%

4.10

1.9%

12.1%

3-1 2024

		$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	%	
SO <sub>2</sub>		8	60	14	
	98	14	150	9	
NO <sub>2</sub>		26	40	65	
	98	69	80	86	
PM <sub>10</sub>		48	70	69	
	95	111	150	74	
PM <sub>2.5</sub>		30	35	86	
	95	83	75	111	
CO mg/m <sup>3</sup>	95	1100	4000	28	
O <sub>3</sub>	8h 90	156	160	97.5	

PM<sub>2.5</sub>

2024 59

				28 / 2035			2027		
				4.3km			2024	9	4
2024	9	10							
		<b>3-2</b>							
		UTM /m							
		X	Y		ug/m <sup>3</sup> )	ug/m <sup>3</sup> )	%		
		548758	354002 2		2000	290~63 0	31.5	0	
<b>3.1.2</b>									
		2024				2024			
15		36					63.9%		
25		~			100%				
4		7		~			100%		
31				16		15			
		51.6%		3.2		13			
10				17		5		100%	
						2023			
1		2023				3-3			

3-3								
			pH	COD <sub>Cr</sub> mg/L	BOD <sub>5</sub> mg/L	mg/L	mg/L	mg/L
			7.5	6.1	0.9	0.06	1.61	0.005
			8.4	13.6	2.4	0.76	4.82	0.02
			7.5~8.4	10.0	1.5	0.28	2.7	0.01
			0	0	0	0	/	0
			/	/	/	/	/	/
3-3								
2023.11.21~2023.11.23								
W1			500m			W2		
			500m			3-4		
3-4								
			pH	COD <sub>Cr</sub> mg/L	SS mg/L	mg/L	mg/L	mg/L
			7.5	10	35	0.317	0.11	0.03
			7.9	14	38	0.416	0.16	0.04
		III	6-9	20	/	1.0	0.2	0.05
	500m		0.45	0.7	/	0.416	0.8	0.8
	W1		0	0	0	0	0	0
			7.4	15	32	0.246	0.1	0.03
			7.7	18	36	0.386	0.13	0.04
		III	6-9	20	/	1.0	0.2	0.05
	500m		0.35	0.9	/	0.386	0.65	0.8

	W2		0	0	0	0	0	0
3-4								
GB 3838-2002 III								
<b>3.1.3</b>	50m							
<b>3.1.4</b>								
<b>3.1.5</b>								
	VAE	VAE						
<b>3.1.6</b>								

3.2

50m                      500m                                      3.2-1                      6

**3-5**

	UTM						m
	X	Y					
	55800 5	13406 413				SW	380

3.3

1

GB31572-2015

DB32/4041-2021

DB32/4149-2021

DB32/4149-2021

"

DB32/4041-2021

3-6

6


3-6					
		mg/Nm <sup>3</sup>	kg/h		
					mg/Nm <sup>3</sup> )
DA012 DA015		60	3		4.0
					1h
					6
DA013 DA014		10	/		20
					0.5
				5	
				DA012	DA0012
				DB32/4041-2021	
3-7					
		ug/m <sup>3</sup> )			
TSP <sup>a</sup>		500			
PM <sub>10</sub> <sup>b</sup>		80			
a	(TSP )	HJ633		15min	AQI 200~300
	PM <sub>10</sub> PM <sub>2.5</sub> TSP			200	g/m <sup>3</sup>
b	(PM <sub>10</sub> )			1h	PM <sub>10</sub>
		PM <sub>10</sub>			
2					
2024		GB/T 19923-			
		2018 77			
8		GB18918-2002		1	A
3-9		3-			

3-8

pH	/	6.0~9.0
		20
	NTU	5
BOD <sub>5</sub>	mg/L	10
COD <sub>Cr</sub>	mg/L	50
	mg/L	5
	mg/L	15
	mg/L	0.5
	mg/L	0.5
	mg/L	1.0
CaCO <sub>3</sub>	mg/L	350
CaCO <sub>3</sub>	mg/L	450
	mg/L	1000
	mg/L	250
	mg/L	250
	mg/L	0.3
	mg/L	0.1
		30



pH 9  
 BOD 300  
 SS 400  
 / mg/L 45  
 8



\*

12

12

		0.476	0.156	0	0	0	0	0.632	0
		1.3	0.091	1.440	0	1.440	0	2.831	+1.440
	[a]	1E-06	5.06E-07	0	0	0	0	1.5055 E-06	0
	VOCs	1.207	0.509	0.427	0	0.427	0	2.143	+0.427
		8448	0	1260	0	1260	0	9708	+1260
	COD	3.379	0	0.0504	0	0.0504	0	3.4294	+0.0504
	SS	1.690	0	0.0504	0	0.0504	0	1.7404	+0.0504
		0.296	0	0	0	0	0	0.296	0
		0.0338	0	0	0	0	0	0.0338	0
		0.507	0	0	0	0	0	0.507	0
		0.507	0	0	0	0	0	0.507	0
		0	0	0	0	0	0	0	0
		0	0	5.8	5.8	0	0	0	0
		0	0	67.21	67.21	0	0	0	0
						VOCs		VOCs	

4.1

4.1.1

4.1.2

4.1.3

报告公示稿

报告公示稿

报告公示稿

4.1.4



		90%		90%			
		G4					
		5		1		AP-42	
		5		1t		0.23kg	
DA013				99%		99%	
		4-1				28.7m	
	t/a	t/h	h	kg/h	t/a	kg/h	t/a
	50000	20	2500	4.6	11.5	0.046	0.114
	30000	20	1500	4.6	6.9	0.046	0.068
	50000	20	2500	4.6	11.5	0.046	0.114
1	30000	20	1500	4.6	6.9	99% 0.046	0.068
1	30000	20	1500	4.6	6.9	99% 0.046	0.068
	/	/	/	23	43.7	0.023	0.433
		G5					
		3021		30		0.523kg/t-	
		190000t		99.37t/a			
		99%		18m		DA014	
		99%		99%			
		G6					

				0.005kg/t			
					190000t		
	0.95t/a						
18m	DA014		99%			99%	
		G7				G8	
G9							
				VAE			
				0.174kg/t-			
				20200t			
3.5148t/a							
				18m	DA015		
			99%			90%	
	1	18m	DA012				
	1	28.7m	DA013				
						1	18m
							DA014
	1	18m	DA015				
	4-2	4-3				4-4	
		<b>4-2</b>					
				<b>t/a</b>		<b>(t/a)</b>	
							<b>(t/a)</b>
	G1	G2		1.914	90%	1.723	0.191
	G3			2.01	90%	1.809	0.201
	G4			4.8	90%	4.32	0.48

		G7 G8 G9		3.5148	99%	3.480	0.035

## 4-3

			t/a	kg/h	mg/m <sup>3</sup>				%	m <sup>3</sup> /h	t/a	kg/h	mg/m <sup>3</sup>	mg/m <sup>3</sup>	kg/h		
			3.532	0.491	61.319			90%	8000	0.353	0.049	6.132	60	3		H=18m T=25 D=0.55m	DA012
			43.263	6.009	400.583			99%	15000	0.433	0.060	4.006	10	/		H=28.7m T=25 D=0.6m	DA013
			99.317	13.794	689.701			99%	20000	0.993	0.138	6.897	10	/		H=18m T=25 D=0.7m	DA014
			3.480	0.483	80.556			90%	6000	0.348	0.048	8.056	60	3		H=18m T=25 D=0.4m	DA015




## 4-4

0.392	0.054	19038.25	5
-------	-------	----------	---

0.437	0.23	180	28
-------	------	-----	----

1					4	0.392
2				DB32/4041- 2021	0.5	0.437
3				DB32/4149- 2021	0.5	1.003
					4	0.035
						0.427
						1.440
<b>4-7</b>						
					/ t/a	
1					1.128	
2					2.866	
<b>2</b>						
0%						
0.1 / 30min						
<b>4-8</b>						
				/ mg/m <sup>3</sup>	/ kg/h	/ /h
DA012				61.319	0.491	0.5 / 0.1
DA013				400.583	6.009	
DA014				689.701	13.794	
DA015				80.556	0.483	



4-9

1	mm	2000*2000*2900	2000*1500*1100
2	m <sup>2</sup>	9.72	1.25
3	m <sup>2</sup> /g	750	750
4	/		
5	mg/g	800	800
6	kg/m <sup>3</sup>	500	500
7	t/	3.89	0.5

3.179t/a

7.78t

3.132t/a                      7.78

2021 218

$T = m \times s \div (c \times 10^{-6} \times Q \times t)$

T—

m—                      kg

s—                      %

c—                      VOCs                      mg/m<sup>3</sup>

Q—                      m<sup>3</sup>/h

t—                      h/d

4-10

		VOCs			
--	--	------	--	--	--

	kg		mg/m <sup>3</sup>	m <sup>3</sup> /h	h/d	d
	7780	10%	55.188	8000	24	73
	1000	10%	72.5	6000	24	10
73d	4		31t		3t	
	34t					10d
	10		30t		3t	
	33t					
HJ1122-2020						
HJ1116-2020	VOCs					
				DB32/4041-2021		
			GB31572-2015			
1						
	28.7m	DA013				

2023 9 16 17 DA006

89%~90%

DB32/4149-2021

2

18m DA014

HJ1116-2020

/

DB32/4149-2021

30

87

4-11

4-11

	30 kwh	0.8 /kwh	24
	62	7000 /t	43
	67	3000 /t	20
	/	/	87

4

GB/T16758

GB 37822—2019

VOCs

0.3m/s

5





4.2.2

1

W1

1

200t/h

5

(GBT50102-2014)

$$Q_e = K_{ZF} \cdot \Delta t \cdot Q$$

$$Q_w = \frac{P_w \cdot Q}{100}$$



Qe                      KZF                      0.0015                      t

5

Qw                      Pw                      0.1

Qb                      N                      5

Qm

Q                      200t/h

1440000t/a

200t/h,7200h/a

Qe 10800t/a 1.5t/h

Qw 1440t/a 0.2t/h

Qb 1260t/a 0.175t/h

Qm 13500t/a

COD 40mg/L      SS 40mg/L

(W2)

2t/

3

6t/a

COD 500mg/L

SS 200mg/L

60mg/L

4-15

4-15

	t/a	mg/L	t/a		mg/L	t/a	mg/L
1260	COD	40	0.0504	/	COD	40	0.0504
	SS	40	0.0504		SS	40	0.0504
6	COD	500	0.003	+			
	SS	200	0.0012				
		60	0.00036				

--	--	--	--	--	--	--	--

2

1260t/a 4.2t/d

6t/a

0.02t/d

80t/d

21939.1t/a

73t/d


73t/d

4-2

空压机排水



4-2



		pH	COD	SS	
	mg/L	7~8	1500	600	20
		/	70%	90%	90%
	mg/L	7~8	450	60	2
	mg/L	7~8	450	60	2
		/	90%	80%	60%
	mg/L	7~8	45	12	0.8
	mg/L	7~8	45	12	0.8
		/	/	/	/
	mg/L	7~8	45	12	0.8
	/	6.5~8.5	50	/	1

**4-18**

			mg /m <sup>3</sup>		mg /m <sup>3</sup>	
2023 .9.18			42	GB/T 19923-2024	50	
			12		/	
			0.13		1.0	
2023 .9.19			39		50	
			12		/	
			0.15		1.0	

y



1		97309.2	22595.1	74720.1

3

J

6.0 m<sup>3</sup>/d

3.0 m<sup>3</sup>/d 2011 12

2012 6

204

Òë ò @ ð " P )Æ€

ó

2.5 t/d

A2/



				1	COD SS	1 /
<b>5</b>						
4-21 4-22						
4-23 4-24						
<b>4-21</b>						
1		COD SS		/	/	DW001
2		COD SS		/	+ +	/ /
<b>4-22</b>						
		UTM				
				/ t/a		mg/L
1	DW001	557973	13407613	1260	/	pH 6-9
						COD 30
						SS 10
						1.5
						3 *
						0.3
						10
						1

\*

12

12

4-23

				/
				<b>mg/L</b>
1	DW001	pH		6 9
		COD		500
		SS		400
				25
				1
				70
				100

4-24

			/	/	/ t/a
			<b>mg/L</b>	<b>kg/d</b>	
1	DW001	COD	40	0.015	0.0504
2		SS	40	0.015	0.0504
		COD			0.0504
		SS			0.0504

4.2.3

1

75-

85dB A

GB12348-2008 3

4-25



	180											
		2	75		371	323	1	40	43		25	18
	130											
		2	75		401	316	1	40	43		25	18
		4	75		428	309	1	30	45		25	20
		2	80		421	311	1	35	49		25	20
		2	75		345	339	1	5	61		25	36
		1	85		380	298	1	50	49		25	24
		2	85		249	320	1	20	59		25	34
		3	85		260	317	1	30	55		25	30
		3	85		269	315	1	30	55		25	30
		1	75		255	358	1	15	51		25	26

1	75	266	355	1	25	47	25	22
4	75	279	352	1	35	44	25	19
4	75	290	349	1	15	51	25	26
2	80	264	380	1	15	56	25	31
1	75	272	377	1	15	51	25	26
2	85	285	373	1	15	61	25	36
6	75	303	367	-	M	c		

5

	5	75		164	416	1	5	61		25	36
	5	75		150	393	1	5	61		25	36
	10	85		136	359	1	8	67		25	42
	3	75		182	451	1	5	61		25	36
	2	75		167	230	1	5	61		25	36
	1	75		181	431		5	61		25	36
	3	85		177	253		8	67		25	42

X Y

**4-27**

	/	/m			/dB(A)	
		X	Y	Z		
1	1	332	345	1	75	00 00- 24 00
2	2	279	275	1	80	
3	16	261	272	1	80	
4	1	259	265	1	80	
5	1	264	263	1	80	


X Y

**4-28**

	/	/m		
--	---	----	--	--

		<b>X</b>	<b>Y</b>	<b>Z</b>	<b>/dB(A)</b>		
1	4	279	415	1	75		
2	10	275	384	1	75	00 00-	24 00





					t/a			
1					0.3		/	
2					5		/	
3					0.1		/	
4					67		/	GB34330-2017
5					1		/	
6					0.2		/	
7					0.01		/	

43 2025 2017

4-32

						t/a			
1						0.1	HW49	900-041-49	T
2						67	HW49	900-039-49	T

3					0.1	HW08	900-249-08	T
4					0.01	HW08	900-210-08	T
5					0.3	S59	900-009-S59	/
6					5	S59	900-099-S59	/
7					0.5	S59	900-099-S59	/

4-33

4-33

					t/a			
1					5.7	HW49	900-041-49	T
2					39	HW08	900-249-08	T
3					60	HW08	900-249-08	T
4					6.7	HW08	900-210-08	T

5					10	HW13	900-015-13	T	
6					1.106	HW49	900-041-49	T	
7					0.2	HW08	900-249-08	T	
8					0.02	HW08	900-210-08	T	
9					67	HW49	900-039-49	T	
10					15.5	SW59	900-099-S59		
11					1.7	SW59	900-009-S59		
12					60	SW59	900-099-S59	/	
13					0.3	SW59	900-009-S59		
14					33	SW64	900-099-S64		
					599.76m <sup>2</sup>	267m <sup>2</sup>			
					<b>4-34</b>				
					t				



10			/	/	/	599.76	/	/	/

**2**

**a**

599.76m<sup>2</sup>

GB15562.2-1995

9

1

2

3

4

5

5

6

>

2024 16

<

4.2.5

1

7						
8						
9						GB18597
10						
11						
12						Mb 1.5m K 10 <sup>-7</sup> cm/s
13						
14						

2

A.

4.2.6

1.63km

4.2.7

1

HJ169-2018

Q

Q  
Q

$$Q = \frac{q_1}{Q_1} + \frac{q_2}{Q_2} + \dots + \frac{q_n}{Q_n}$$

q<sub>1</sub> q<sub>2</sub> ... q<sub>n</sub> —  
Q<sub>1</sub> Q<sub>2</sub>.....Q<sub>n</sub> —

t  
t


**4-36**

		t	t	q/Q
1		0.2	2500	0.00008
2		17	50	0.34
q/Q				0.34008

[1]


/

4-2



4-2

4-38

4-38

				/	/
			/		
			/		
				/	/
				/	/



				/	/
			/		
				/	/
			/		
			/	/	
				/	/
			/	/	

4-39

**4-39**

VAE

VAE



报告公示稿

报告公示稿

公示稿

a.

b.

c.

a.

b.

GB18597-2023

432m<sup>3</sup>


a.

b.

2

2015 4

DB32/T3795-2020



报告公示稿


/	/			
	DA012			DB32/4041-2021
	DA013			DB32/4149-2021
	DA014			DB32/4149-2021
	DA015			DB32/4041-2021
				DB32/4041-2021
				DB32/4149-2021
				DB32/4041-2021

DB32/4149-  
2021

GB/T 19923-  
2024

COD SS /

GB12348-  
2008 3







		t/a	t/a	t/a	t/a	t/a	t/a	t/a
		6.736	5.172		2.866	/	9.602	+2.866
		2.317	1.38		0	/	2.317	0
		4.419	3.792		2.866	/	7.285	+2.866
	SO <sub>2</sub>	1.324	0.964		0	/	1.324	0
	NO <sub>x</sub>	3.019	2.002		0	/	3.019	0
	[a]	6.0375E-06	3.00E-06		0	/	6.0375E-06	0
		6.555	3.499		1.128	/	7.683	+1.128
		0.008	0.008		0	/	0.008	0
		8448	8448		1260	/	9708	0
	COD	3.379	3.379		0.0504	/	3.4294	0
	SS	1.69	1.69		0.0504	/	1.7404	0
		0.296	0.296		0	/	0.296	0
		0.0338	0.0338		0	/	0.0338	0
		0.507	0.507		0	/	0.507	0
		0.507	0.507		0	/	0.507	0

		5.5	5.5		5.8	/	11.3	+5.8
	/	60.1	60.1		67.21	/	127.31	+67.21

= + + - = -